Page 1/10

## Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 07.02.2024

Version number 76 (replaces version 75)

Revision: 07.02.2024

1 Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier Trade name: STAUFEN Brennspiritus 1.2 Relevant identified uses of the substance or mixture and uses advised against · Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites SU21 Consumer uses: Private households / general public / consumers SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) · Application of the substance / the mixture Fuel · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: **REMONDIS Medison GmbH** Bereich Staufen-Chemie® Friedrich-Glenck-Straße 4 99087 Erfurt GERMANY +49 (0) 361/654593-0 +49 (0) 361/654593-20 technik@staufen-chemie.de · Further information obtainable from: Abteilung Produktsicherheit · 1.4 Emergency telephone number: Giftinformationszentrum Nord +49 (0) 551/19240 2 Hazards identification · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 2 H225 Highly flammable liquid and vapour. GHS07 Eye Irrit. 2 H319 Causes serious eye irritation. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS02 GHS07 · Signal word Danger (Contd. on page 2) EU Page 2/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2024

Version number 76 (replaces version 75)

Revision: 07.02.2024

	(Contd. of pag
· Hazard stat	ements
H225 Highly	flammable liquid and vapour.
H319 Cause	es serious eye irritation.
· Precaution	ary statements
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection/heari protection.
P305+P351	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
· 2.3 Other ha	azards
· Results of I	PBT and vPvB assessment
· PBT: Not ap	plicable.
· vPvB: Not a	

CAS: 78-93-3 butanone

List II

## 3 Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture: consisting of the following components.

· Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43	ethanol 🚸 Flam. Liq. 2, H225; 🐠 Eye Irrit. 2, H319	50-<100%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25	propan-2-ol Flam. Liq. 2, H225; (1) Eye Irrit. 2, H319; STOT SE 3, H336	0.5-1.5%
CAS: 78-93-3 EINECS: 201-159-0 Index number: 606-002-00-3 Reg.nr.: 01-2119457290-43	butanone Flam. Liq. 2, H225; (1) Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	0.5-1.5%
· Additional information:		

For the wording of the listed hazard phrases refer to section 16. Ethanol, denatured with methyl ethyl ketone

### 4 First aid measures

#### · 4.1 Description of first aid measures

#### • General information:

Take affected persons out into the fresh air. Do not leave affected persons unattended. Personal protection for the First Aider.

(Contd. on page 3)

Page 3/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2024

Version number 76 (replaces version 75)

Revision: 07.02.2024

#### Trade name: STAUFEN Brennspiritus

(Contd. of page 2) • After inhalation: Supply fresh air; consult doctor in case of complaints. · After skin contact: Generally the product does not irritate the skin. · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Induce vomiting only, if affected person is fully conscious. Seek medical treatment. 4.2 Most important symptoms and effects, both acute and delayed Headache Dizziness Dizziness Nausea • 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information
- Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## 6 Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

- Ensure adequate ventilation.
- 6.4 Reference to other sections
   See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 4)

Page 4/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2024

Version number 76 (replaces version 75)

Revision: 07.02.2024

#### Trade name: STAUFEN Brennspiritus

(Contd. of page 3)

<ul> <li>7.1 Precautions for safe handling Ensure good interior ventilation, espec Keep receptacles tightly sealed. Take note of emission threshold.</li> <li>Information about fire - and explosi Keep ignition sources away - Do not s Protect against electrostatic charges.</li> </ul>	
<ul> <li>7.2 Conditions for safe storage, inc.</li> <li>Storage:</li> <li>Requirements to be met by storero</li></ul>	oms and receptacles:
Provide solvent resistant, sealed floor	ommon storage facility: Store away from foodstuffs.
Store only in the original receptacle. <li>Store in a cool location.</li> <li>Information about storage in one construction</li> <li>Further information about storage of</li>	conditions:
Store under lock and key and out of the	le reach of children.
Keep container tightly sealed. <li>Store in cool, dry conditions in well se</li> <li>7.3 Specific end use(s) No further resistant.</li>	aled receptacles.

· Ingredients with limit values that require monitoring at the workplace:

CAS: 78-93-3 butanone

IOELV Short-term value: 900 mg/m<sup>3</sup>, 300 ppm Long-term value: 600 mg/m<sup>3</sup>, 200 ppm

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

<sup>–</sup> ÉU

Page 5/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2024

Version number 76 (replaces version 75)

Revision: 07.02.2024

#### Trade name: STAUFEN Brennspiritus

(Contd. of page 4)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Permeation >480min., 0.7mm
- For the permanent contact gloves made of the following materials are suitable: Fluorocarbon rubber (Viton)
- For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:
- Nitrile rubber, NBR

· Eye/face protection



Tightly sealed goggles

· Body protection: Solvent resistant protective clothing

### 9 Physical and chemical properties

· 9.1 Information on basic physical and	chemical properties	]
· General Information	chemical properties	
· Colour:	Colourless	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
• Melting point/freezing point:	Undetermined.	
· Boiling point or initial boiling point and	d	
boiling range	78 °C (DIN 51751)	
· Flammability	Not applicable.	
· Lower and upper explosion limit		
· Lower:	3.5 Vol %	
· Upper:	15 Vol %	
· Flash point:	13 °C (DIN 51755)	
<ul> <li>Auto-ignition temperature:</li> </ul>	425 °C (ASTME E-659)	
<ul> <li>Decomposition temperature:</li> </ul>	Not determined.	
· pH at 20 °C	7	
· Viscosity:		
<ul> <li>Kinematic viscosity</li> </ul>	Not determined.	
· Dynamic:	Not determined.	
· Solubility		
· water at 20 °C:	complete g/l	
	(Co	ontd. on page 6)

Page 6/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2024

Version number 76 (replaces version 75)

Revision: 07.02.2024

#### Trade name: STAUFEN Brennspiritus

	(Contd. of page
Partition coefficient n-octanol/water (log	
value)	Not determined.
· Vapour pressure at 20 °C:	59 hPa
Density and/or relative density	
Density at 20 °C:	0.79 g/cm <sup>3</sup>
Relative density	Not determined.
· Vapour density	Not determined.
• 9.2 Other information	
· Appearance:	
· Form:	Fluid
<ul> <li>Important information on protection of heat</li> </ul>	llth
and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
· Solvent content:	
· Organic solvents:	96.0 %
· VOC (EC)	94,99 %
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard	
classes	
· Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void

### 10 Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

(Contd. on page 7)

<sup>–</sup> EU -

Page 7/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2024

Version number 76 (replaces version 75)

Revision: 07.02.2024

#### Trade name: STAUFEN Brennspiritus

(Contd. of page 6)

#### 10.3 Possibility of hazardous reactions

Forms explosive gases/fumes.

Used empty containers may contain product gases which form explosive mixtures with air.

• 10.4 Conditions to avoid Heating, open flame, ignition sources, electrostatic charge.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

#### 11 Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity Based on available data, the classification criteria are not met.

### • I D/LC50 values relevant for classification:

l			
	CAS: 64-17-5 ethanol		
			7,060 mg/kg (rat)
	Inhalative	LC50/4 h	20,000 mg/l (rat)
ĺ	CAS: 67-63-0 propan-2-ol		

LD50 4,570 mg/kg (rat) Oral Dermal

LD50 13,400 mg/kg (rabbit)

Inhalative LC50/4 h >25,000 mg/l (rat)

CAS: 78-93-3 butanone

Oral LD50 3,300 mg/kg (rat) Dermal LD50 5,000 mg/kg (rabbit)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation

Causes serious eye irritation.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

• **Reproductive toxicity** Based on available data, the classification criteria are not met.

- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

Endocrine disrupting properties

CAS: 78-93-3 butanone

List II

## **12 Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 67-63-0 propan-2-ol

LC50/48h 8,970 mg/l (leuciscus idus)

EC50/24h >1,000 mg/kg (daphnia magna)

EC50/72h >1,000 mg/l (scenedesmus subspicatus)

· 12.2 Persistence and degradability Easily biodegradable

(Contd. on page 8)

EU

Page 8/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2024

Version number 76 (replaces version 75)

Revision: 07.02.2024

(Contd. of page 7)

#### Trade name: STAUFEN Brennspiritus

• **12.3 Bioaccumulative potential** No further relevant information available.

- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### **13 Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Waste disposal key: The waste codes are based on the specific conditions for use an disposal.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

14.1 UN number or ID number ADR, IMDG, IATA	UN1170
14.2 UN proper shipping name	
ADR	1170 ETHANOL (ETHYL ALCOHOL)
IMDG	ETHANOL (ETHYL ALCOHOL)
ΙΑΤΑ	ETHANOL
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.

Page 9/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2024

Version number 76 (replaces version 75)

Revision: 07.02.2024

#### Trade name: STAUFEN Brennspiritus

	(Contd. of page 8
<ul> <li>Hazard identification number (Kemler co</li> <li>EMS Number:</li> <li>Stowage Category</li> </ul>	ode): 33 F-E,S-D A
<ul> <li>14.7 Maritime transport in bulk according IMO instruments</li> </ul>	<b>g to</b> Not applicable.
· Transport/Additional information:	
<ul> <li>ADR</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> <li>Transport category</li> <li>Tunnel restriction code</li> </ul>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m 2
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	D/E 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m
· UN "Model Regulation":	UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II

## 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

### Regulation (EC) No 273/2004 on drug precursors

CAS: 78-93-3 butanone

(Contd. on page 10)

3

EU -

Page 10/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.02.2024

Version number 76 (replaces version 75)

Revision: 07.02.2024

#### Trade name: STAUFEN Brennspiritus

(Contd. of page 9)

3

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

CAS: 78-93-3 butanone

#### · National regulations:

#### · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- EUH066 Repeated exposure may cause skin dryness or cracking.
- Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

- Department issuing SDS: Abteilung Produktsicherheit
- · Date of previous version: 01.08.2023
- · Version number of previous version: 75

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\*\* Data compared to the previous version altered.

EU -